

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



This list represents an overview of all standards within the accredited scope including the information of the existing flexibilities of UL International Germany GmbH, Stuttgart site.

The three Categories of flexible Scope are described in the DAkkS Rule R-17025-PL ([Link to DAkkS Rule R-17025-PL on the DAkkS Website](#))

Tests in the fields:
Electromagnetic Compatibility (EMC) and Telecommunication

List of Standards within flexible Scope:

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) Part 3-2: Limits for harmonic current emissions (equipment input current ≤ 16 A per phase).	A	Single phase equipment only
EN IEC 61000-3-2: 2019/ A1: 2021-04	Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	A	Single phase equipment only
IEC 61000-3-2 ED5.1 2020-07	Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	A	Single phase equipment only
IEC 61000-3-3: 2013 + A1: 2017	Electromagnetic compatibility (EMC) Part 3-3: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	A	Single phase equipment only
EN 61000-3-3: 2013 + A1: 2019-08	Electromagnetic compatibility (EMC) Part 3-3: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	A	Single phase equipment only

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN IEC 61000-3-11: 2019-11	Electromagnetic compatibility (EMC) Part 3-11: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 75A$ and subject to conditional connection	A	Max. rated current limited to < 32 A; Single phase equipment only
IEC 61000-3-11: 2017	Electromagnetic compatibility (EMC) Part 3-11: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 75A$ and subject to conditional connection	A	Max. rated current limited to < 32 A; Single phase equipment only
EN 61000-4-2: 2009	EMC – Part 4-2: Testing and measurement techniques –Electrostatic discharge immunity test	A	
IEC 61000-4-2: 2008	EMC – Part 4-2: Testing and measurement techniques –Electrostatic discharge immunity test	A	
IEC 61000-4-3: 2006 + A1: 2007 + A2:2010	EMC – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test	A	
EN 61000-4-3: 2006 + A1: 2008 + A2:2010	EMC – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test	A	
IEC 61000-4-4: 2012	EMC – Part 4-4: Testing and measurement techniques – Electrical fast transient/ burst immunity test	A	Single phase equipment only

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 61000-4-4: 2012	EMC – Part 4-4: Testing and measurement techniques – Electrical fast transient/ burst immunity test	A	Single phase equipment only
IEC 61000-4-5: 2014+A1: 2017	EMC – Part 4-5: Testing and measurement techniques – Surge immunity test	A	Single phase equipment only
EN 61000-4-5: 2014 + A1: 2017-11	EMC – Part 4-5: Testing and measurement techniques – Surge immunity test	A	Single phase equipment only
IEC 61000-4-6: 2013	EMC – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	Single phase equipment only
EN 61000-4-6: 2014	EMC – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	Single phase equipment only
IEC 61000-4-8: 2009	EMC – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test	A	Maximum field strength 30 A/m
EN 61000-4-8: 2010	EMC – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test	A	Maximum field strength 30 A/m
EN IEC 61000-4-11: 2020-03	EMC - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	A	Single phase equipment only

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
IEC 61000-4-11: 2020	EMC - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	A	Single phase equipment only
IEC 61000-4-29: 2000	EMC – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	A	
EN 61000-4-29: 2000	EMC – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	A	
EN IEC 61000-6-1: 2019-02	EMC – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments	A	Max. rated current limited to ≤ 16 A
IEC 61000-6-1: 2016	EMC – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments	A	Max. rated current limited to ≤ 16 A
IEC 61000-6-2: 2016	EMC – Part 6-2: Generic standards – Immunity standard for industrial environments	A	Max. rated current limited to ≤ 16 A
EN IEC 61000-6-2: 2019-02	EMC – Part 6-2: Generic standards – Immunity standard for industrial environments	A	Max. rated current limited to ≤ 16 A
EN IEC 61000-6-3: 2021-03	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for equipment in residential environments	A	
IEC 61000-6-3: 2020	Part 6-3: Generic standards – Emission standard for equipment in residential environments	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN IEC 61000-6-4: 2019-09	EMC – Part 6-4: Generic standards – Emission standard for industrial environments	A	
IEC 61000-6-4: 2018	EMC – Part 6-4: Generic standards – Emission standard for industrial environments	A	
EN 55011: 2016 + A1: 2017 + A2: 2021	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	A	3 meter distance for radiated emissions
CISPR 11: 2019-01	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55014-1: 2017	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
CISPR 14-1: 2016	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
CISPR 14-1: 2020-09	Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission	A	
EN IEC 55014-1: 2021-03	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
EN 55014-2: 2015	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	
CISPR 14-2: 2015	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
CISPR 14-2: 2020-08	Electromagnetic compatibility – Requirements for household appliances, Electric tools and similar apparatus – Part 2: Immunity – Product family standard	A	
EN IEC 55014-2: 2021	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	
CISPR 22: 2008	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55022: 2010	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55022: 2010 + A1: 2015	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55024: 2010 + A1: 2015	Information technology equipment - Immunity characteristics - Limits and methods of measurement	A	
CISPR 24: 2015	Information technology equipment - Immunity characteristics - Limits and methods of measurement	A	
EN 55032: 2015	Electromagnetic compatibility of multimedia equipment - Emission Requirements	A	Except A7.4 and A11.2 (CVP application) 3 meter distance for

Flexible Scope V2.0
 Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			radiated emissions No FAR testing
CISPR 32 (2015)	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	Except A7.4 and A11.2 (CVP application) 3 meter distance for radiated emissions No FAR testing
CISPR 32: 2019-10	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	Except A7.4 and A11.2 (CVP application) 3 meter distance for radiated emissions No FAR testing
EN 55035: 2017-07	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	
CISPR 35: 2016	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	
EN 50130-4: 2011 + A1: 2014	Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems	A	

Flexible Scope V2.0
 Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 61326-1: 2013	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements	A	3 meter distance for radiated emissions
IEC 61326-1: 2012	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements	A	3 meter distance for radiated emissions
EN 61326-2-1: 2013	Part 2-1: Particular requirements – Test configurations, operational conditions and performance criteria for sensitive test and measurement equipment for EMC unprotected applications	A	3 meter distance for radiated emissions
IEC 61326-2-1: 2012	Part 2-1: Particular requirements – Test configurations, operational conditions and performance criteria for sensitive test and measurement equipment for EMC unprotected applications	A	3 meter distance for radiated emissions
EN 61326-2-2: 2013	Part 2-2: Particular requirements – Test configurations, operational conditions and performance criteria for portable test, measuring and monitoring equipment used in low-voltage distribution systems	A	3 meter distance for radiated emissions
IEC 62599-2: 2010	Alarm systems – Part 2: Electromagnetic compatibility – Immunity requirements for components of fire and security alarm systems	A	3 meter distance for radiated emissions
EN IEC 63044-5-1: 2019-11	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
IEC 63044-5-1: 2017-01	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up	A	
EN IEC 63044-5-3: 2019-11	Home and building electronic systems (HBES) and building automation and control systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industrial environments	A	
IEC 63044-5-3: 2017-01	Home and building electronic systems (HBES) and building automation and control systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industrial environments	A	
EN IEC 63044-5-2: 2019	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-2: EMC requirements for HBES/BACS used in residential, commercial and light-industrial environments	A	
IEC 63044-5-3: 2017-01	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-2: EMC requirements for HBES/BACS used in residential, commercial and light-industrial environments	A	
EN 301 489-1 V2.2.3 (2019-11)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility	A	
ETSI EN 301 489-3 V2.1.1 (2019-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz	A	
EN 301 489-7 V1.3.1 (2005)	EMC standard for radio equipment and services; Part 7: Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)	A	
ETSI EN 301 489-9 V2.1.1 (2019)	Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
	Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices		
ETSI EN 301 489-17 V3.2.4 (2020-09)	lectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems	A	
ETSI EN 301 489-24 V1.5.1 (2010)	EMC standard for radio equipment and services; Part 24: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) for Mobile and portable (UE) radio and ancillary equipment	A	
ETSI EN 301 489-52 V1.2.1 (2021)	EMC standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication Mobile and portable (UE) radio and ancillary equipment;	A	
ISO 7637-2: 2004 + A1: 2008	Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines	A	except pulses 5a and 5b
ISO 7637-2:2011	Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines	A	except pulses 5a and 5b
ISO 7637-3 ED3.0 (2016)	Road vehicles – Electrical disturbances from conduction and coupling – Part 3: Electrical transient transmission by capacitive and inductive coupling via lines other than supply lines	A	except pulses 5a and 5b
EN 55025: 2008	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
CISPR 25: 2008	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
EN 55025: 2017-02	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
CISPR 25: 2016-10	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
EN 300 220-1 V3.1.1 (2017)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 1: Technical characteristics and methods of measurement	A	
ETSI EN 300 220-2 V3.2.1 (2018-06)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard for access to radio spectrum for non specific radio equipment	A	
EN 300 220-3-1 V2.1.1 (2016)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 3-1; Low duty cycle high reliability equipment, Social Alarms Equipment operating on designated frequencies (869,200 MHz to 869,250 MHz)	A	
EN 300 220-3-2 V1.1.1 (2017)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 3-2; Wireless alarms operating in designated LDC/HR frequency bands 868,60 MHz to 868,70 MHz, 869,25 MHz to 869,40 MHz, 869,65 MHz to 869,70 MHz	A	
EN 300 220-4 V1.1.1 (2017)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 4; Metering devices operating in designated band 169,400 MHz to 169,475 MHz	A	
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum	A	
EN 300 330 V2.1.1 (2017)	SRD; Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-1 V2.1.2 (2017-01)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-2 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
ETSI EN 300 422-3 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 3: Class C Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-4 V2.1.1 (2017-05)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 4: Assistive Listening Devices including personal sound amplifiers and inductive systems up to 3 GHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 440 V2.2.1 (2018)	Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum	A	
ETSI EN 301 511 V12.5.1 (2017-03)	Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	Only spurious emissions
ETSI EN 301 893 V2.1.1 (2017-05)	5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 301 908-1 V11.1.1 (2016-07)	IMT cellular networks; Harmonized Standards covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements	A	Only spurious emissions
ETSI EN 301 908-2 V11.1.2 (2017-08)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)	A	Only spurious emissions
ETSI EN 301 908-13 V11.1.2 (2017-02)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)	A	Only spurious emissions
ETSI EN 302 208 V3.1.1 (2016-11)	Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
ETSI EN 302 502 V2.1.1 (2017)	Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems	A	
ETSI EN 303 413 V1.1.1 (2017-06)	Satellite Earth Stations and Systems (SES); Global Navigation Satellite System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands	A	
ETSI EN 303 417 V1.1.1 (2017-09)	Wireless power transmission systems, using technologies other than radio frequency beam in the 19 - 21 kHz, 59 - 61 kHz, 79 - 90 kHz, 100 - 300 kHz, 6 765 - 6 795 kHz ranges	A	
ICES 003 Issue 7 October 2020	Information Technology Equipment (including Digital Apparatus)	A	
ETSI EN 301 091-1 V2.1.1 (2017-01)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 1: Ground based vehicular radar	A	
ETSI EN 302 264 V2.1.1 (2017-05)	Short Range Devices; Transport and Traffic Telematics (TTT); Short Range Radar equipment operating in the 77 GHz to 81 GHz band; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
EN 301 489-51 Ver. 2.1.1	EMC for Automotive and Surveillance Radar Devices	A	
EN 303 883-2 Ver. 1.2.1	Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 2: Measurement techniques for receiver requirements UWB Rx measurements	A	
EN 303 883-1 Ver. 1.2.1	Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements UWB TX measurement EN	A	
EN 302 065-1 Ver. 2.1.1	Part 1: Requirements for Generic UWB applications SRD equipment using Ultra Wide Band technology (UWB)	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 302 065-2 Ver. 2.1.1	Part 2: Requirements for UWB location tracking HEN for UWB Location Tracking	A	
EN 302 065-3 Ver. 2.1.1	Part 3: Requirements for UWB devices for ground based vehicular applications HEN for UWB for ground based vehicular applications	A	
EN 302 065-4 Ver. 1.1.1	Part 4: Material Sensing devices using UWB technology below 10,6 GHz UWB Material Sensing devices	A	
EN 301 489-33 Ver. 2.2.1	Part 33: Specific conditions for Ultra-WideBand (UWB) devices; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU EMC requirements for UWB devices	A	
FCC part 15, subpart F	UWB Intentional Radiators	A	
EN 302 372 Ver. 2.1.1	Tank Level Probing Radar (TLPR) equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz;	A	
EN 302 729 Ver. 2.1.1	Short Range Devices (SRD); Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz;	A	
EN 305 550-1 Ver. 1.2.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 40 GHz to 246 GHz frequency range; Part 1: Technical characteristics and test methods SRDs in the 40-246 GHz	A	
EN 305 550-2 Ver. 1.2.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 40 GHz to 246 GHz frequency range;	A	
ETSI EN 303 396 (V1.1.1) (12-2016)	Short Range Devices; Measurement Techniques for Automotive and Surveillance Radar Equipment	A	

Flexible Scope V2.0
 Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation

Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
IEC 61000-4-6 ED5.0 (2023-06)	EMC - Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	
CISPR 16-2-3 ED4.2 (2023-06)	Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements	A	
EN 61000-3-3: 2013 + A1: 2019 + A2: 2021	EMC - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	A	
IEC 61000-3-3 ED3.2 (2021-03)	EMC - Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	A	
ETSI EN 301 489-3 V2.3.2	EMC standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz;	A	
IEC 61326-2-6 Edition 3.0 2020-10	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 2-6: Particular requirements – In vitro diagnostic (IVD) medical equipment	A	
EN IEC 61326-1: 2021-06	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	A	
ICES-001 Issue 5 July 2020	Industrial, Scientific and Medical (ISM) Equipment	A	
ICES 003 Issue 7 October 2020	Information Technology Equipment (including Digital Apparatus)	A	
ICES-Gen Issue 1 July 2018 Amendment 1 Feb. 2021	General Requirements for Compliance of Interference-Causing-Equipment	A	

Flexible Scope V2.0
Last Update: 2024-05-27

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
 Accreditation Number: PL-19381-02



Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
RSS-Gen Issue 5 April 2018 Amendment 2 Feb. 2021 Amendment 1 March 2019	General Requirements for Compliance of Radio Apparatus	A	
ICES-005 Issue 5 December 2018	Lighting Equipment	A	
RSS-123 Issue 4 August 2019	Licensed Wireless Microphones	A	
RSS-130 Issue 2 February 2019	Equipment Operating in the Frequency Bands 617-652 MHz, 663-698 MHz, 698- 756 MHz and 777-787 MHz	A	
RSS-132 Issue 4 January 2023	Cellular Telephone Systems Operating in the Bands 824-849 MHz and 869-894 MHz	A	
RSS-133 Issue 6 Amendment January 2018	2GHz Personal Communications Services	A	
RSS-134 Issue 2 February 2016	900 MHz Narrowband Personal Communications Services	A	
RSS-139 Issue 4 Sept. 2022	Advanced Wireless Services (AWS) Equipment operating in the Bands 1710 – 1780 MHz and 2110 – 2180 MHz	A	

Flexible Scope V2.0
 Last Update: 2024-05-27