Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
Accreditation Number: D-PL-19381-01-02

This list represents an overview of all standards within the accredited scope including the information of the existing flexibilities of UL International Germany GmbH, Admiral-Rosendahl-Straße 9, 63263 Neu-Isenburg (EMC/W Laboratory)

The three Categories of flexible Scope are described in the DAkkS Rule R-17025-PL (Link to DAkkS Rule R-17025-PL on the DAkkS Website)

Tests in the fields:
Electromagnetic Compatibility (EMC) and Telecommunication

List of Standards within flexible Scope:

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) Part 3-2: Limits for harmonic current emissions (equipment input current ⩽ 16 A per phase).	A	Single phase equipment only
EN IEC 61000-3-2: 2019/ A1: 2021-04	Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ⩽16 A per phase)	A	Single phase equipment only
IEC 61000-3-2 ED5.1 2020-07	Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ⩽16 A per phase)	A	Single phase equipment only
IEC 61000-3-3: 2013 + A1: 2017	Electromagnetic compatibility (EMC) Part 3-3: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ⩽ 16A per phase and not subject to conditional connection	A	Single phase equipment only
EN 61000-3-3: 2013 + A1: 2019-08	Electromagnetic compatibility (EMC) Part 3-3: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ⩽ 16A per phase and not subject to conditional connection	A	Single phase equipment only
EN IEC 61000-3-11: 2019-11	Electromagnetic compatibility (EMC) Part 3-11: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ⩽ 75A and subject to conditional connection	A	Max. rated current limited to <

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			32 A; Single phase equipment only
IEC 61000-3-11: 2017	Electromagnetic compatibility (EMC) Part 3-11: Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ⩽ 75A and subject to conditional connection	A	Max. rated current limited to < 32 A; Single phase equipment only
EN 61000-4-2: 2009	EMC – Part 4-2: Testing and measurement techniques –Electrostatic discharge immunity test	A	
IEC 61000-4-2: 2008	EMC – Part 4-2: Testing and measurement techniques –Electrostatic discharge immunity test	A	
IEC 61000-4-3: 2006 + A1: 2007 + A2:2010	EMC – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test	A	
EN 61000-4-3: 2006 + A1: 2008 + A2:2010	EMC – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test	A	
IEC 61000-4-4: 2012	EMC – Part 4-4: Testing and measurement techniques – Electrical fast transient/ burst immunity test	A	Single phase equipment only
EN 61000-4-4: 2012	EMC – Part 4-4: Testing and measurement techniques – Electrical fast transient/ burst immunity test	A	Single phase equipment only
IEC 61000-4-5: 2014+A1: 2017	EMC – Part 4-5: Testing and measurement techniques – Surge immunity test	A	Single phase equipment only

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 61000-4-5: 2014 + A1: 2017-11	EMC – Part 4-5: Testing and measurement techniques – Surge immunity test	A	Single phase equipment only
IEC 61000-4-6: 2013	EMC – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	Single phase equipment only
EN 61000-4-6: 2014	EMC – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	Single phase equipment only
IEC 61000-4-8: 2009	EMC – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test	A	Maximum field strength 30 A/m
EN 61000-4-8: 2010	EMC – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test	A	Maximum field strength 30 A/m
EN IEC 61000-4-11: 2020-03	EMC - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	A	Single phase equipment only
IEC 61000-4-11: 2020	EMC - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	A	Single phase equipment only
IEC 61000-4-29: 2000	EMC – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	A	
EN 61000-4-29: 2000	EMC – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	A	
EN IEC 61000-6-1: 2019-02	EMC – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments	A	Max. rated current

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			limited to ≤ 16 A
IEC 61000-6-1: 2016	EMC – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments	A	Max. rated current limited to ≤ 16 A
IEC 61000-6-2: 2016	EMC – Part 6-2: Generic standards – Immunity standard for industrial environments	A	Max. rated current limited to ≤ 16 A
EN IEC 61000-6-2: 2019-02	EMC – Part 6-2: Generic standards – Immunity standard for industrial environments	A	Max. rated current limited to ≤ 16 A
EN IEC 61000-6-3: 2021-03	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for equipment in residential environments	A	
IEC 61000-6-3: 2020	Part 6-3: Generic standards – Emission standard for equipment in residential environments	A	
EN IEC 61000-6-4: 2019-09	EMC – Part 6-4: Generic standards – Emission standard for industrial environments	A	
IEC 61000-6-4: 2018	EMC – Part 6-4: Generic standards – Emission standard for industrial environments	A	
EN 55011: 2016 + A1: 2017 + A2: 2021	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	A	3 meter distance for radiated emissions
CISPR 11: 2019-01	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	A	3 meter distance for

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			radiated emissions
EN 55014-1: 2017	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
CISPR 14-1: 2016	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
CISPR 14-1: 2020-09	Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission	A	
EN IEC 55014-1: 2021-03	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	A	
EN 55014-2: 2015	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	
CISPR 14-2: 2015	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	
CISPR 14-2: 2020-08	Electromagnetic compatibility – Requirements for household appliances, Electric tools and similar apparatus – Part 2: Immunity – Product family standard	A	
EN IEC 55014-2: 2021	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard	A	
CISPR 22: 2008	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55022: 2010	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			radiated emissions
EN 55022: 2010 + A1: 2015	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	A	3 meter distance for radiated emissions
EN 55024: 2010 + A1: 2015	Information technology equipment - Immunity characteristics - Limits and methods of measurement	A	
CISPR 24: 2015	Information technology equipment - Immunity characteristics - Limits and methods of measurement	A	
EN 55032: 2015	Electromagnetic compatibility of multimedia equipment - Emission Requirements	A	Except A7.4 and A11.2 (CVP application) 3 meter distance for radiated emissions No FAR testing
CISPR 32 (2015)	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	Except A7.4 and A11.2 (CVP application) 3 meter distance for radiated emissions No FAR testing
CISPR 32: 2019-10	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	Except A7.4 and A11.2 (CVP

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
			application) 3 meter distance for radiated emissions No FAR testing
EN 55035: 2017-07	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	
CISPR 35: 2016	Electromagnetic compatibility of multimedia equipment - Immunity requirements	A	
EN 50130-4: 2011 + A1: 2014	Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems	A	
EN 61326-1: 2013	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements	A	3 meter distance for radiated emissions
IEC 61326-1: 2012	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements	A	3 meter distance for radiated emissions
EN 61326-2-1: 2013	Part 2-1: Particular requirements – Test configurations, operational conditions and performance criteria for sensitive test and measurement equipment for EMC unprotected applications	A	3 meter distance for radiated emissions
IEC 61326-2-1: 2012	Part 2-1: Particular requirements – Test configurations, operational conditions and performance criteria for sensitive test and measurement equipment for EMC unprotected applications	A	3 meter distance for radiated emissions

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 61326-2-2: 2013	Part 2-2: Particular requirements – Test configurations, operational conditions and performance criteria for portable test, measuring and monitoring equipment used in low-voltage distribution systems	A	3 meter distance for radiated emissions
IEC 62599-2: 2010	Alarm systems – Part 2: Electromagnetic compatibility – Immunity requirements for components of fire and security alarm systems	A	3 meter distance for radiated emissions
EN IEC 63044-5-1: 2019-11	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up	A	
IEC 63044-5-1: 2017-01	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up	A	
EN IEC 63044-5-3: 2019-11	Home and building electronic systems (HBES) and building automation and control systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industrial environments	A	
IEC 63044-5-3: 2017-01	Home and building electronic systems (HBES) and building automation and control systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industrial environments	A	
EN IEC 63044-5-2: 2019	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-2: EMC requirements for HBES/BACS used in residential, commercial and light-industrial environments	A	
IEC 63044-5-3: 2017-01	Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-2: EMC requirements for HBES/BACS used in residential, commercial and light-industrial environments	A	
EN 301 489-1 V2.2.3 (2019-11)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility	A	

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
ETSI EN 301 489-3 V2.1.1 (2019-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz	A	
EN 301 489-7 V1.3.1 (2005)	EMC standard for radio equipment and services; Part 7: Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)	A	
ETSI EN 301 489-9 V2.1.1 (2019)	Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices	A	
ETSI EN 301 489-17 V3.2.4 (2020-09)	lectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems	A	
ETSI EN 301 489-24 V1.5.1 (2010)	EMC standard for radio equipment and services; Part 24:Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) for Mobile and portable (UE) radio and ancillary equipment	A	
ETSI EN 301 489-52 V1.2.1 (2021)	EMC standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication Mobile and portable (UE) radio and ancillary equipment;	A	
ISO 7637-2: 2004 + A1: 2008	Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines	A	except pulses 5a and 5b
ISO 7637-2:2011	Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines	A	except pulses 5a and 5b
ISO 7637-3 ED3.0 (2016)	Road vehicles – Electrical disturbances from conduction and coupling – Part 3: Electrical transient transmission by capacitive and inductive coupling via lines other than supply lines	A	except pulses 5a and 5b
EN 55025: 2008	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
Accreditation Number: D-PL-19381-01-02

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
CISPR 25: 2008	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
EN 55025: 2017-02	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
CISPR 25: 2016-10	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	A	TEM-cell method excluded
EN 300 220-1 V3.1.1 (2017)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 1: Technical characteristics and methods of measurement	A	
ETSI EN 300 220-2 V3.2.1 (2018-06)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard for access to radio spectrum for non specific radio equipment	A	
EN 300 220-3-1 V2.1.1 (2016)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 3-1; Low duty cycle high reliability equipment, Social Alarms Equipment operating on designated frequencies (869,200 MHz to 869,250 MHz)	A	
EN 300 220-3-2 V1.1.1 (2017)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 3-2; Wireless alarms operating in designated LDC/HR frequency bands 868,60 MHz to 868,70 MHz, 869,25 MHz to 869,40 MHz, 869,65 MHz to 869,70 MHz	A	
EN 300 220-4 V1.1.1 (2017)	SRD operating in the frequency range 25 MHz to 1 000 MHz; Part 4; Metering devices operating in designated band 169,400 MHz to 169,475 MHz	A	
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum	A	
EN 300 330 V2.1.1 (2017)	SRD; Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
ETSI EN 300 422-1 V2.1.2 (2017-01)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-2 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-3 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 3: Class C Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 422-4 V2.1.1 (2017-05)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 4: Assistive Listening Devices including personal sound amplifiers and inductive systems up to 3 GHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 300 440 V2.2.1 (2018)	Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum	A	
ETSI EN 301 511 V12.5.1 (2017-03)	Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	Only spurious emissions
ETSI EN 301 893 V2.1.1 (2017-05)	5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
ETSI EN 301 908-1 V15.1.1 (2021-09)	IMT cellular networks; Harmonized Standards covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements	A	Only spurious emissions
ETSI EN 301 908-2 V13.1.1 (2020-06)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)	A	Only spurious emissions
ETSI EN 301 908-13 V13.2.1 (2022-02)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)	A	Only spurious emissions

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
ETSI EN 302 208 V3.3.1(2020-08)	Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W	A	
ETSI EN 302 502 V2.1.1 (2017)	Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems	A	
ETSI EN 303 413 V1.1.1 (2017-06)	Satellite Earth Stations and Systems (SES); Global Navigation Satellite System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands	A	
ETSI EN 303 417 V1.1.1 (2017-09)	Wireless power transmission systems, using technologies other than radio frequency beam in the 19 - 21 kHz, 59 - 61 kHz, 79 - 90 kHz, 100 - 300 kHz, 6 765 - 6 795 kHz ranges	A	
ICES 003 Issue 7 October 2020	Information Technology Equipment (including Digital Apparatus)	A	
ETSI EN 301 091-1 V2.1.1 (2017-01)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 1: Ground based vehicular radar	A	
ETSI EN 302 264 V2.1.1 (2017-05)	Short Range Devices; Transport and Traffic Telematics (TTT); Short Range Radar equipment operating in the 77 GHz to 81 GHz band; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	A	
EN 301 489-51 Ver. 2.1.1	EMC for Automotive and Surveillance Radar Devices	A	
EN 303 883-2 Ver. 1.2.1	Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 2: Measurement techniques for receiver requirements UWB Rx measurements	A	
EN 303 883-1 Ver. 1.2.1	Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements UWB TX measurement EN	A	
EN 302 065-1 Ver. 2.1.1	Part 1: Requirements for Generic UWB applications SRD equipment using Ultra Wide Band technology (UWB)	A	

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 302 065-2 Ver. 2.1.1	Part 2: Requirements for UWB location tracking HEN for UWB Location Tracking	A	
EN 302 065-3 Ver. 2.1.1	Part 3: Requirements for UWB devices for ground based vehicular applications HEN for UWB for ground based vehicular applications	A	
EN 302 065-4 Ver. 1.1.1	Part 4: Material Sensing devices using UWB technology below 10,6 GHz UWB Material Sensing devices	A	
EN 301 489-33 Ver. 2.2.1	Part 33: Specific conditions for Ultra-WideBand (UWB) devices; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU EMC requirements for UWB devices	A	
EN 302 372 Ver. 2.1.1	Tank Level Probing Radar (TLPR) equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz;	A	
EN 302 729 Ver. 2.1.1	Short Range Devices (SRD); Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz;	A	
EN 305 550-1 Ver. 1.2.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 40 GHz to 246 GHz frequency range; Part 1: Technical characteristics and test methods SRDs in the 40-246 GHz	A	
EN 305 550-2 Ver. 1.2.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 40 GHz to 246 GHz frequency range;	A	
ETSI EN 303 396 (V1.1.1) (12-2016)	Short Range Devices; Measurement Techniques for Automotive and Surveillance Radar Equipment	A	
IEC 61000-4-6 ED5.0 (2023-06)	EMC - Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	A	
CISPR 16-2-3 ED4.2 (2023-06)	Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements	A	

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
Accreditation Number: D-PL-19381-01-02

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
EN 61000-3-3: 2013 + A1: 2019 + A2: 2021	EMC - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection	A	
IEC 61000-3-3 ED3.2 (2021-03)	EMC - Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	A	
ETSI EN 301 489-3 V2.3.2	EMC standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz;	A	
IEC 61326-2-6 Edition 3.0 2020-10	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 2-6: Particular requirements – In vitro diagnostic (IVD) medical equipment	A	
EN IEC 61326-1: 2021-06	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	A	
ICES-001 Issue 5 July 2020	Industrial, Scientific and Medical (ISM) Equipment	A	
ICES 003 Issue 7 October 2020	Information Technology Equipment (including Digital Apparatus)	A	
ICES-Gen Issue 1 July 2018 Amendment 1 Feb. 2021	General Requirements for Compliance of Interference-Causing-Equipment	A	
RSS-Gen Issue 5 April 2018 Amendment 2 Feb. 2021 Amendment 1 March 2019	General Requirements for Compliance of Radio Apparatus	A	
ICES-005 Issue 5 December 2018	Lighting Equipment	A	
RSS-130 Issue 2 February 2019	Equipment Operating in the Frequency Bands 617-652 MHz, 663-698 MHZ, 698- 756 MHz and 777-787 MHz	A	

Overview Methods within the flexible Scope of ISO/IEC 17025:2017 Accreditation
Accreditation Number: D-PL-19381-01-02

Standard No. and Revision	Standard Title	Flex. Cat.	Limitation
RSS-132 Issue 4 January 2023	Cellular Telephone Systems Operating in the Bands 824-849 MHz and 869-894 MHz	A	
RSS-133 Issue 7 July 24, 2024	2GHz Personal Communications Services	A	
RSS-134 Issue 2 February 2016	900 MHz Narrowband Personal Communications Services	A	
RSS-137 Issue 2 February 2009	Location and Monitoring Service in the Band 902-928 MHz	A	
RSS-139 Issue 4 Sept. 2022	Advanced Wireless Services (AWS) Equipment operating in the Bands 1710 – 1780 MHz and 2110 – 2180 MHz	A	
RSS-199 Issue 4 July 2023	Broadband Radio Service (BRS) Equipment Operating in the Band 2500-2690 MHz	A	
RSS-210 Issue 11 June 25, 2024	Licence-Exempt Radio Apparatus: Category I Equipment	A	
RSS-211 Issue 1 March 6, 2015	Level Probing Radar Equipment	A	
RSS-216 Issue 3 September 3, 2024	Wireless Power Transfer Devices	A	
RSS-220 Issue 1 (March 2009) Amendment 1 (July 2018)	Devices Using Ultra-Wideband (UWB) Technology	A	
RSS-247 Issue 3 July 24, 2025	Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs) and Licence-Exempt Local Area Network (LE-LAN) Devices	A	
RSS-251 Issue 2 July 2018	Vehicular Radar and Airport Fixed or Mobile Radar in the 76-81 GHz Frequency Band	A	